



### Specifications: MG4

### Mounting hardware included

Nominal Impedance	16 Ohm
Sensitivity dB @ 2.83V/1M	83.0 dB
Max. Program Power	100W
Max. Continuous Power RMS	50W
Max. Power SPL @ 1 M	103 dB
Transducer - Low Frequency Driver	4" Polypropylene Cone with Butyl Rubber Surround
Transducer - High Frequency Driver	1" Convex Titanium Tweeter w/ Waveguide
Colors	Brown
Enclosure alignment	Sealed
Grille - material	Powder Coated Aluminium
Height (SM = Height)	450.9mm / 28.5"
Diameter (SM = Width)	142.9mm / 9.75"
Depth	190.5mm / 7.5"
Regulatory - CE	approved
Regulatory - RoHS	approved

---

## Description

Rockustics' MusicGarden MG4 speaker is a 4" spike-mounted landscape speaker that is part of the MusicGarden system. Four MG4 units are included in the MusicGarden system, as well as one MG SUB8 subwoofer. Additional MG4 satellites may be added to expand the size of the system. MusicGarden speakers are available in Brown.

## Patented Phase Technology Technologies

Phase Technology and MSE Audio Group constantly develop new technologies that enhance audio product performance. Phase Technology innovations are protected by multiple U.S. and international patents, which explicitly cover Phase Technology dispersion, enclosure and dome technologies. MSE Audio Group actively defends its patents in order to protect Phase Technology resellers and end users.

## Technical Data and Specification

## Tools

### Technical Data

Phase Technologies strives to provide complete and effective technical information and data to dealers, engineers and designers. All data are available from SoundTube Entertainment or at [www.soundtube.com](http://www.soundtube.com). Technical data and downloads include: EASE™ data - 3-D polar plots. EASE™ Address - 2-D modeling for distributed systems Autodesk® Revit® software Tech Sheets - Technical information and architectural specs for system engineers SoundTubeSPEC™ - Proprietary speaker placement software

### Data Acquisition and Verification

All data for Phase Technologies speakers are independently collected from and verified by NWAALabs ([www.nwaalabs.com](http://www.nwaalabs.com)) using their proprietary MACH testing system. All data are collected and analyzed according to ASTM, ISO and AES standards using EASRA, TEF and MLSSA. Full balloon data including both phase and magnitude are

compiled into a variety of formats including EASE 4.x, GLL and CLF.

## Architectural Specifications

No specifications currently.

### Phase Technology

8005 W. 110th St. | Suite 208  
Overland Park, KS 66210  
Phone 9136635600  
Fax  
Toll Free 8556635600  
<http://phasetech.mseaudio.com>  
All Phase Technologies products come with a 5-year limited warranty.

---

# MG4

MG4

PHASE  
T E C H

---

## Included Accessories

2 wire nuts

Installation Aid