



### Specifications: OS-440

Power per Channel @ < 1 % THD

Channels

Certifications

Height (SM = Height)

Diameter (SM = Width)

Depth

Weight

### Mounting hardware included

80 Watts @ 8 Ohm (2 Channel) | 40 Watts @ 4 Ohm (4 Channel)

2/4

Regulatory - CE, Regulatory - UL, RoHS

31.24 mm / 1.23 in

101.09 mm / 3.98 in

123.44 mm / 4.86 in

3.74 lbs

## Description

The OS-440 is the industry's first outdoor smart amplifier. The OS-440 can live entirely outside, allowing unprecedented freedom when designing outdoor audio systems. Without being tethered to the house, the OS-440 can wirelessly connect to the home's network, interface with DLNA servers and even allows wireless multi-zone control. On-board Bluetooth functionality and a WiFi direct mode round out the wireless connectivity options.



## Control source selection from the MSE-OS App!



## Patented Phase Technology Technologies

Phase Technology and MSE Audio Group constantly develop new technologies that enhance audio product performance. Phase Technology innovations are protected by multiple U.S. and international patents, which explicitly cover Phase Technology dispersion, enclosure and dome technologies. MSE Audio Group actively defends its patents in order to protect Phase Technology resellers and end users.

## Technical Data and Specification Tools

### Technical Data

Phase Technologies strives to provide complete and effective technical

information and data to dealers, engineers and designers. All data are available from SoundTube Entertainment or at [www.soundtube.com](http://www.soundtube.com). Technical data and downloads include: EASE™ data - 3-D polar plots. EASE™ Address - 2-D modeling for distributed systems Autodesk® Revit® software Tech Sheets - Technical information and architectural specs for system engineers SoundTubeSPEC™ - Proprietary speaker placement software

## Data Acquisition and Verification

All data for Phase Technologies speakers are independently collected from and verified by NWAALabs ([www.nwaalabs.com](http://www.nwaalabs.com)) using their proprietary MACH testing system. All data are collected and analyzed according to ASTM, ISO and AES standards using EASRA, TEF and MLSSA. Full balloon data including both phase and magnitude are compiled into a variety of formats including EASE 4.x, GLL and CLF.

## Architectural

---

# OS-440

OS-440



---

## Specifications

No specifications currently.

### **Phase Technology**

8005 W. 110th St. | Suite 208

Overland Park, KS 66210

Phone 9136635600

Fax

Toll Free 8556635600

<https://phasetech.mseaudio.com>

All Phase Technologies

products come with a 5-year

limited warranty.