
PC60 CA (Classic Audiophile)

2-Way Limited
Edition
Bookshelf
Speaker



Specifications: PC60 CA (Classic Audiophile)

Mounting hardware included

| | |
|------------------------------------|--|
| Nominal Impedance | 4 ohms |
| Sensitivity dB @ 2.83V/1M | 88 dB |
| Frequency Response (1) | 60 Hz - 22 kHz |
| Recommended Power | 20 - 150 Watts |
| Transducer - Low Frequency Driver | 6.5" RPF® Flat-Piston Fiberglass & Kevlar Composite Cone w/ NBR Surround |
| Transducer - High Frequency Driver | 1" Patented Synthetic Soft Dome |
| Crossover Frequency | 2 kHz |
| Crossover Type | 2-Way Absolute Phase® |
| Colors | Oak and Black Oak, Real Wood Veneer |
| Enclosure alignment | Sealed |
| Grille - material | Black Cloth |
| Height (SM = Height) | 336.6 mm / 13.25" |
| Diameter (SM = Width) | 219.1 mm / 8.62" |
| Depth | 209.6 mm / 8.25" |
| Weight | 7.3 kg / 16 lb |
| Shipping Weight | 9.1 kg / 20 lb |
| Regulatory - CE | approved |
| Regulatory - RoHS | approved |

PC60 CA (Classic Audiophile)

2-Way Limited
Edition
Bookshelf
Speaker



Description

We're celebrating PhaseTech's 60th anniversary with a re-issue of the original PhaseTech speaker: the PC60. The CA edition has been updated with new drivers and crossovers, further improving the great sound that was hailed by Stereophile Magazine as "...reproducing hall acoustics than any other small speakers I know of." To make this a true anniversary celebration we also has Stereophile review the newest iteration as well and history has repeated itself - in their newest review they say "I strongly recommend that anyone shopping for bookshelf speakers costing up to \$2000/pair place these near the top of his or her list. I regret having waited so long to listen to a Phase Technology loudspeaker..."

Applications

The PC60 CA is designed for home audio applications.

Patented Phase Technology Technologies

Phase Technology and MSE Audio Group constantly develop new technologies that enhance audio product performance. Phase Technology innovations are protected by multiple U.S. and international patents, which explicitly cover Phase Technology dispersion, enclosure and dome technologies. MSE Audio Group actively defends its patents in order to protect Phase Technology resellers and end users.

Technical Data and Specification Tools

Technical Data

Phase Technologies strives to provide complete and effective technical information and data to dealers, engineers and designers. All data are available from SoundTube Entertainment or at www.soundtube.com.

Technical data and downloads include: EASE™ data - 3-D polar plots. EASE™ Address - 2-D modeling for distributed systems Autodesk® Revit® software Tech Sheets - Technical information and architectural specs for system engineers SoundTubeSPEC™ - Proprietary speaker placement software

Data Acquisition and Verification

All data for Phase Technologies speakers are independently collected from and verified by NWAALabs (www.nwaalabs.com) using their proprietary MACH testing system. All data are collected and analyzed according to ASTM, ISO and AES standards using EASRA, TEF and MLSSA. Full balloon data including both phase and magnitude are compiled into a variety of formats including EASE 4.x, GLL and CLF.

Features

- One 6.5 inch tri-laminate of RPF®, Kevlar and Fiberglass (Patent #4566178) woofer that

PC60 CA (Classic Audiophile)

2-Way Limited
Edition
Bookshelf
Speaker



matches the speed and
accuracy of the one 1 inch soft
dome tweeter

- Absolute Phase® Crossover networks ensure that the speaker drivers are acoustically and electronically “in phase” and moving in unison
- Black cloth grille

Phase Technology

8005 W. 110th St. | Suite 208

Overland Park, KS 66210

Phone 9136635600

Fax

Toll Free 8556635600

<https://phasetech.mseaudio.com>

All Phase Technologies

products come with a 5-year

limited warranty.