

# CI70X

7" 3-Way In-Wall Speaker With  
Micro-Flange Grille



## Specifications: CI70X

## Mounting hardware included

|                                      |  |
|--------------------------------------|--|
| Nominal Impedance                    | 8 ohms   |
| Sensitivity dB @ 2.83V/1M            | 89 dB  |
| Frequency Response (1)               | 32 Hz - 22 kHz   |
| Recommended Power                    | 10 - 150 Watts   |
| Transducer - Low Frequency Driver    | 7" Woven Glass Fiber w/ NBR Surround                                   |
| Transducer - High Frequency Driver   | 1" Variable Axis Soft Dome   |
| Crossover Type                       | 3-Way Absolute Phase™  |
| Colors                               | White  |
| Enclosure alignment                  | Infinite Baffle  |
| Grille - material                    | White Powder-Coated Galvanized Steel Magnetic Micro-Flange (paintable) |
| Height (SM = Height)                 | 319.3 mm / 12.57"  |
| Diameter (SM = Width)                | 219.2 mm / 8.63"   |
| Depth                                | 95.3 mm / 3.75"  |
| Cutout Height (Surface Mount Height) | 288.9 / 11.37"   |
| Cutout Width/Diameter                | 187.3 mm / 7.37"   |
| Mounting Depth                       | 88.9 mm / 3.5"   |
| Weight                               | 2.5 kg / 5.5 lb  |
| Shipping Weight                      | 2.9 kg / 6.5 lb  |
| Regulatory - CE                      | approved   |
| Regulatory - RoHS                    | Approved   |

# CI70X

7" 3-Way In-Wall Speaker With  
Micro-Flange Grille



## Description

The CI70X utilizes the same midrange and tweeter technology found in our critically acclaimed Premier Collection PC9.5 speaker. The CI70X three-way design delivers outstanding reproduction of music and movie soundtracks. Its patented QuikMount™ clamping levers, shared with the rest of the rectangular CI Series, mean quick installation and easy replacement or upgrading.

A pivoting tweeter can be used to direct high frequencies to your listening area. The grille can be painted to match any room color.

The CI70X is featured in the EMEA and Global Award Winner installation for [CEDIA Best Home Theatre Awards](#).

The CI70X pairs with Premier Collection's [PC3.5](#) and [PC9.5](#).

## Patented Phase Technology Technologies

Phase Technology and MSE Audio Group constantly

develop new technologies that enhance audio product performance. Phase Technology innovations are protected by multiple U.S. and international patents, which explicitly cover Phase Technology dispersion, enclosure and dome technologies. MSE Audio Group actively defends its patents in order to protect Phase Technology resellers and end users.

## Technical Data and Specification Tools

### Technical Data

Phase Technologies strives to provide complete and effective technical information and data to dealers, engineers and designers. All data are available from SoundTube Entertainment or at [www.soundtube.com](http://www.soundtube.com). Technical data and downloads include: EASE™ data - 3-D polar plots. EASE™ Address - 2-D modeling for distributed systems Autodesk® Revit® software Tech Sheets - Technical information and architectural specs for system engineers SoundTubeSPEC™ - Proprietary speaker placement software

## Data Acquisition and Verification

All data for Phase Technologies speakers are independently collected from and verified by NWAALabs ([www.nwaalabs.com](http://www.nwaalabs.com)) using their proprietary MACH testing system. All data are collected and analyzed according to ASTM, ISO and AES standards using EASRA, TEF and MLSSA. Full balloon data including both phase and magnitude are compiled into a variety of formats including EASE 4.x, GLL and CLF.

## Architectural Specifications

No specifications currently.

### Phase Technology

8005 W. 110th St. | Suite 208  
Overland Park, KS 66210  
Phone 9136635600  
Fax  
Toll Free 8556635600  
<https://phasetech.mseaudio.com>  
All Phase Technologies products come with a 5-year limited warranty.

---

# CI70X

7" 3-Way In-Wall Speaker With  
Micro-Flange Grille



---

## Optional Accessories

**Pre-Construction Bracket (RB-23)**