

CI130

3-Way In-Wall Speaker with Extruded Aluminum Positive Clamping System



Specifications: CI130

Mounting hardware included

Nominal Impedance	4 ohms
Sensitivity dB @ 2.83V/1M	88 dB
Frequency Response (1)	36 Hz - 22 kHz
Recommended Power	20 - 250 Watts
Transducer - Low Frequency Driver	6.5" RPF® Flat-Piston Fiberglass & Kevlar Composite Cone w/ NBR Surround
Transducer - High Frequency Driver	1" Soft Dome with Unicell Acoustic Treatment
Crossover Type	2-Way Absolute Phase™
Colors	White
Enclosure alignment	Hybrid closed box system
Grille - material	White Powder-Coated Glvanized Magnetic Micro Flange Grille (paintable)
Height (SM = Height)	596.9 mm / 23.5 in
Diameter (SM = Width)	355.6 mm / 14 in
Depth	88.9 mm / 3.5"
Cutout Height (Surface Mount Height)	568.3 mm / 22.37"
Cutout Width/Diameter	330.2 mm / 13"
Cutout Depth	95.3 mm / 3.75"
Weight	13.6 kg / 30 lb
Shipping Weight	15.9 kg / 35 lb
Regulatory - CE	approved
Regulatory - RoHS	approved

CI130

3-Way In-Wall Speaker with
Extruded Aluminum Positive
Clamping System



Description

Versatile, high-performance in-wall speaker that can be used to compliment an upper-end home system. The CI130 uses the same woofers and midrange/tweeter assemblies as the Premier Collection series. The tweeter and midrange assembly absorb the horizontal sound waves through Unicell Acoustic treatment to minimize interaction with the mounting wall - resulting in amazingly precise imaging and clarity. Additionally, the CI130 employs Phase Tech's patented Positive Clamping System, ensuring accurate control of low end performance and a clear reproduction of the sound into the listening space. 3.75" mounting depth allows this speaker to be mounted in shared walls.

The CI130 is featured in the EMEA and Global Award Winner installation for [CEDIA Best Home Theatre Awards](#).

The CI130 pairs with Premier Collection's [PC3.5](#) and [PC9.5](#)

Applications

Engineered for home theater or distributed audio applications where high-efficiency, added bass response and rapid installation are critical. The CI130 pairs with Premier Collection's PC3.5 and PC9.5.

Patented Phase Technology Technologies

Phase Technology and MSE Audio Group constantly develop new technologies that enhance audio product performance. Phase Technology innovations are protected by multiple U.S. and international patents, which explicitly cover Phase Technology dispersion, enclosure and dome technologies. MSE Audio Group actively defends its patents in order to protect Phase Technology resellers and end users.

Technical Data and Specification Tools

Technical Data

Phase Technologies strives to provide complete and

effective technical information and data to dealers, engineers and designers. All data are available from SoundTube Entertainment or at www.soundtube.com. Technical data and downloads include: EASE™ data - 3-D polar plots. EASE™ Address - 2-D modeling for distributed systems Autodesk® Revit® software Tech Sheets - Technical information and architectural specs for system engineers SoundTubeSPEC™ - Proprietary speaker placement software

Data Acquisition and Verification

All data for Phase Technologies speakers are independently collected from and verified by NWAALabs (www.nwaalabs.com) using their proprietary MACH testing system. All data are collected and analyzed according to ASTM, ISO and AES standards using EASRA, TEF and MLSSA. Full balloon data including both phase and magnitude are compiled into a variety of formats including EASE 4.x, GLL and CLF.

Features

- Two 6.5 inch RPF flat-piston

CI130

3-Way In-Wall Speaker with Extruded Aluminum Positive Clamping System



fiberglass & Kevlar composite
woofers with butyl rubber
surrounds, one 1 inch tweeter
and one 1.5" synthetic soft
dome midrange

- Limited Lifetime Warranty
- Auto-Reset Overload

Protection

- Absolute Phase Crossover

Network

- Magnetic Micro-Flange Grille
- Positive Clamping System for
a tight, nonresonant seal

- Unicell Acoustic Treatment
for tweeter diffraction

prevention

Phase Technology

8005 W. 110th St. | Suite 208

Overland Park, KS 66210

Phone 9136635600

Fax

Toll Free 8556635600

<https://phasetech.mseaudio.com>

All Phase Technologies

products come with a 5-year

limited warranty.

CI130

3-Way In-Wall Speaker with
Extruded Aluminum Positive
Clamping System



Optional Accessories

Pre-Construction Bracket (RB-15)