



Description:

The CI7.3X is an 8" 3-way in-ceiling speaker which delivers high-end performance for home theater or distributed audio applications.

The 1" variable axis tweeter allows high frequencies to be directed to the listener in situations where placement is less than optimal, such as rooms with vaulted ceilings. A +/- 3dB switch is also included to increase or decrease the tweeter's output as needed.

A round, magnetic micro-flange grille is included in the box, with a square grille (CI7X-SG) available as an optional accessory. All CI-X grilles are paintable and resistant to rust and corrosion.

Features:

- Limited Lifetime Warranty
- Auto-Reset Overload Protection
- Absolute Phase Crossover Network
- Offset Tweeter Design
- Magnetic Micro-Flange Grilles

Applications:

Engineered for home theater or distributed audio applications indoors or out (as long as it is not exposed to direct heavy weather). The CI7.3X pairs with PC3.5 and PC9.5.

Warranty Information:

The CI7.3X comes with a limited lifetime warranty. Products not sold through an authorized dealer/distributor will not be supported by the factory warranty. Warranties are non-transferable.

Phase Technology:

8005 W 110th St
Suite 208
Overland Park, KS 66102
Phone: 913.663.5600
Toll Free: 855.663.5600
Fax: 913.663.3200
www.phasetech.com

CI7.3X PRODUCT SPECIFICATIONS

NOMINAL IMPEDANCE	8Ω
SENSITIVITY dB @ 2.83V/1M	92 dB
FREQUENCY RESPONSE	32 Hz - 22 kHz
RECOMMENDED POWER	15 - 200 Watts
TWEETER	1" (25.4 mm) Variable Axis Soft Dome w/ Level Adjustment
MIDRANGE	1.5" (38.1 mm) Ultra-Linear Soft Dome
WOOFER	8" (203.2 mm) Woven Glass Fiber w/ NBR Surround
ENCLOSURE TYPE	Infinite Baffle
INPUTS	Gold-Plated Push Terminals
GRILLE	White Powder-Coated Galvanized Steel Magnetic Micro-Flange (paintable)
DIMENSIONS	11.0" (279.4 mm) Diameter x 5.25" (133.4 mm) Depth
CUTOUT DIMENSIONS	9.625" (244.5 mm)
MOUNTING DEPTH	5" (127 mm)
WEIGHT	6 lbs
SHIPPING WEIGHT	7 lbs
OPTIONAL ACCESSORIES	Pre-Construction Bracket (RB-22), Square Grille (CI7X-SG)
REGULATORY - CE	Approved
RoHS	Approved